PATENT

Docket No.: CISCO-1935

N THE UNITED STATES PATENT AND TRADEMARK OFFICE

Group Art Unit: 2135

Examiner: Klimach, Paula W.

Serial No.: 09/504,005

Filed: February 14, 2000

In re Application of: Boutros et al.

For:

METHOD AND APPARATUS FOR ADDING AND UPDATING PROTOCOL

INSPECTION KNOWLEDGE TO FIREWALL PROCESSING DURING

RUNTIME

Certificate of Mailing

Krista Thompson

TRANSMITTAL LETTER

Mail Stop AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Enclosed please find a Response to the Office Action dated June 3, 2005 in connection with the above-identified application.

In the event the Patent Office charges a fee for filing the above-noted documents, including any fees required under 37 CFR 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, the Assistant Commissioner is hereby authorized to charge or credit the difference to our Deposit Account No. 50-0612. An additional copy of this page is enclosed.

Respectfully submitted,

SIERRA PATENT GROUP, LTD.

Dated: August 3, 2005

Sierra Patent Group, Ltd. P.O. Box 6149 Stateline, NV 89449 (775) 586-9500 fax (775) 586-9550

William P. Wilbar Reg. No.: 43,265

PATENT Docket No.: CISCO-1935

NITED STATES PATENT AND TRADEMARK OFFICE

Group Art Unit: 2135

Examiner: Klimach, Paula W.

Serial No.: 09/504,005

Filed: February 14, 2000

In re Application of: Boutros et al.

For: METHOD AND APPARATUS FOR ADDING AND UPDATING PROTOCOL

INSPECTION KNOWLEDGE TO FIREWALL PROCESSING DURING RUNTIME

Certificate of Mailing

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail, in an envelope addressed to Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 8/3/05
Signed With Thomas

Krista Thompson

RESPONSE TO OFFICE ACTION

Mail Stop AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

In response to the final Office Action dated June 3, 2005, kindly amend the above-identified application as follows.